Managing Your Vineyard Manager

by Gerard van Steyn, Dave Rey and Lamorinda Winegrowers Association

Irrigation

							Evenes or	Canony							
			Shoot	Nutrition	Nutrition		Excess or Deficit	Canopy Managemen	Mildow		Raccoon	Cluster	Harvest		Irrigation
	Pruning	Weeds	Thinning	Assessment		Irrigation	Monitoring Section	+		Bird Control	Control	Thinning	Timing	Harvest	Stop Date
	Fruining	I	I	Assessment	Interpret		this is		Spraying	Nets, double	Control	I	l	Hurvest	Stop Date
					petiole test		important		Spray for	sided thin	Electric fence				
		Grasses			results and		task, owner		powerdy	extruded	to keep				
	Drupo	and weeds			apply	When to start	,		mildew and	plastic nets	racoons and				
	Prune					and how				l'		Dran aveass			
	vines back		This also are		necessary		monitor by	T 1.1 . 1 1 .	other	are	other animals		T		CI
1411	to 2 buds	actually	Thin shoots	Dariel Tool	fertilizer and	much thru	watching	Thin laterals	diseases and	recommende		fruit, if	Taste, test	D'. I '	Stop
What	per spur	beneficial!	and laterals	Petiole Test	nutrients	season	vines	and leaves	pests	d	grapes	needed	and evaluate	Picking	Irrigation
									Vital, unless	Vital, if birds	Vital, if				
How									you don't	eat your	varmits eat		Vital, for	Vital, for	
Important	Vital	Optional	Vital	Optional	Important	Vital	Vital	Important	have mildew	grapes	your grapes	Optional	best quality	best quality	Important
							Throughout								
		Spring as					growing								
		needed	Thin shoots		organic		season And		While		After				
		(leave	prior to		fertilizer is		don't		dormant then		Veraison,				
	not within	clippings	flowering,	Flowering,	highly	Typically start	underwater		Bud break		when grapes		Month+		Prior to or
	2+ days of		thin laterals	also perhaps		mid May thru	during		through			Veraison or	after		when rains
When	rain	vineyard)	after fruit set	at veraison	d	June	flowering!	May thru July	veraison	Veraison		prior	veraison		commence
		-,,						, , , , , ,							
															Deficit
		Ideally				Gallons per									irrigation
		mow or				vine depends									before
		trim down			below drip	on spacing:					Inexpensive				harvest is no
		weeds.			emitters or	apprx 8	Look for				portable				longer
		Don't use		Send	foliar spray	gallons/week			Spray at least		electric fence				recommend
	January	Roundup		Samples to	(conventional		tendrils (too		every 2		and plastic				ed But if
	thru	or other		FGL,		by 6' spacing;	little water)		weeks, if		posts, circling	Most I WGA			you do, then
					made out of		of excessive		· ·	alin note on		vineyards	Tasta and		give big
	February	non-		Dellavale, or	-				powdery mildew is a	clip nets on	vineyard	will not need	Taste and		drink after
	is best	organic	h I I a .a al	other	and destroy	typical for 3'	growth (too			top and					
How	time	weedkiller	ру напо	testing lab	soil life)	, ,	much)		problem	bottom	install	to do this	meter	14	harvest
14/6 - 5				Manager or		Owner or	Owner and				Owner or		Winemaker	Winemaker	Manager or
Who Does	Manager	Manager	Manager	Owner	Manager	Manager	Manager	Manager	Manager	Manager	Manager	Manager	and Owner	or Owner	Owner
									Owner needs						
									to get out in			l			
								,	vineyard and			Winemaker,			_
Who		_				Owner and		Manager and					Winemaker		Owner or
Decides	Manager	Owner	Manager	Owner	Manager	Manager	Owner	Owner	mildew	Owner	Owner	Owner	and Owner	or Owner	Manager

Questions? Email your questions to: gerardvs1@gmail.com

Notes

Owners should walk their vineyards at least once per week... look at growth: check for dry tendrils (too little water) or excessive growth (too much), make sure leaves are healthy green; have your manager teach

you what mildew looks like (yellow spots on leaves, white powder on grapes); after veraison, look to see if birds or varmits are eating your precious grapes - they can clean out a vineyard in a short time!